

FOR CRITICAL PROCESS CLEANING

CANI

COMMITMENT TO CONSTANT AND NEVER ENDING IMPROVEMENT

SPECTRUM CM-PV VETERINARY DISINFECTANT



DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Apply this product with a cloth, mop or mechanical spray device. When applied with a mechanical spray device, surfaces must be sprayed until thoroughly wetted. Treated surfaces must remain wet for 10 minutes. For sprayer applications, use a coarse pump or trigger sprayer. Spray 6-8 inches from surface. Rub with brush, sponge or cloth. Do not breathe spray.

NOTE: With spray applications, cover or remove all food products. Prepare a fresh solution at least daily or when use solution becomes visibly dirty. For heavily soiled areas, a preliminary cleaning is required. At 2 ounces of this product to one gallon of water (703 ppm active quat) use level, this product is bactericidal according to the AOAC Use Dilution Test method on hard inanimate surfaces modified in the presence of 5% organic serum against: *Escherichia coli*, *Listeria monocytogenes*, *Staphylococcus aureus*, *Salmonella enterica*.

Animal Virucidal Performance: At 2 ounces per gallon of water use level (703 ppm active quat) (or equivalent use dilution), this product was evaluated in the presence of 5% serum with a 10-minute contact time and found to be effective against the following viruses on hard, non-porous environmental surfaces: Avian Influenza A H5N1 virus, Avian influenza A H9N2/Turkey/Wisconsin virus, Avian Reovirus, Bovine Viral Diarrhea virus, Canine Distemper, Canine Coronavirus, Equine Arteritis Virus, Infectious Avian Laryngotracheitis, Infectious Bovine Rhinotracheitis virus (IBR), Infectious Bronchitis Virus, Newcastle disease virus, Porcine Respiratory & Reproductive Virus (PRRSV), Porcine Rotavirus, Pseudorabies virus, Transmissible Gastroenteritis (TGE), Vaccinia virus.

At 2.5 ounces per gallon of water use level (or equivalent use dilution), this product is found to be effective against the following viruses on hard, non-porous environmental surfaces in the presence of 5% serum with a 10-minute contact time: Canine Adenovirus, Canine Parainfluenza Virus, Feline Calicivirus, Feline Infectious Peritonitis, Feline leukemia virus, Feline Panleukopenia, Feline Picornavirus, Feline Rhinotracheitis, Infectious Canine Hepatitis Virus, Murine Parainfluenza virus type 1, Rabies virus.

At 8 ounces per gallon of water use level (or equivalent use dilution), in the presence of 5% serum with a 10-minute contact time this product is effective against the following viruses on hard, non-porous surfaces: Canine Parvovirus (CPV), Minute virus of Mice (Parvovirus), Porcine Parvovirus.

PRODUCT SPECIFICATIONS

Form: Liquid
Odor: characteristic
pH1% solution: 11.5-12.0
Specific Gravity: 1.08-1.12
Solubility: complete
Foam: Moderate

CANI, INC.

1758 Allentown Road, Lansdale, PA 19446

Phone: (610) 222-4500

Fax: (610) 222-4203

www.caniusa.com

CRITICAL PROCESS CLEANING

